

**Samples of Motors included on this list have been checked for compliance to EFRA 2016 Rules:
For Brushless 'Spec.' 17.5T Motors.**

**Starting 01.06.16, only Motors included on this list, can be used at EFRA Sanctioned events (EC or GP), for:
The Motor Class designated for the event.**


Whiist sample Motors submitted have been found to conform with EFRA 2016 rules for 'Spec' Brushless Motors, it is the responsibility of ALL competitors to ensure that the versions they use also comply with all EFRA rules and requirements.

NOTE: These motors differ from Brushless 'Modified' Motors.

Motor Builder	Type/ Range	Illustration only	Notes	Approval Date
Motors below this level must comply with EFRA Rules :- App.3, 2.2 (9) which requires access to the stator to allow measurement and visual appraisal of the laminates. Also 2.2 (7), which requires the Rotor to be marked with Name or Logo & Part #.				
Ruddog	Ruddog RP540 Part # RP-0014		Sensored system. "Y" Wind. Silver Alu. Can & End-Caps. Timing insert with Ruddog etched. Nickel rotor with one Alu. bal. ring. Adjustable timing +20/+ 60 deg. Lams.visible with wind visable on stator. Rotor Part # RP-12.5-7.2	30.05.16
Tekin	Redline Gen3 Part # TT2705		Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16
Tekin	Redline Gen3 Part # TT2704 RPM		Sensored system. "Y" Wind. Black Alum. Timing plate 2.5mm above red ring.. Adj. timing 0/60. Machined Alum. Can with wind printed. Stator visable via. slots. Rotor with one brass balance ring Part # 2721. Option rotors: 2719, 2722	16.05.16
Turnigy	Trackstar V2 Pt # 80128		Sensored system. "Y" Wind. Stator slides from sleeve.Sleeve with wind etched. Adjustable sensor plate timing 0-50 deg. Has stator access. Wind etched on stator. Rotor with name, sizes & Part #. Rotor Part # 919000281	16.05.16
Hobbywing	Xerun V10 G2 Pt # 30401108		Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo moulded. Nickel sintered rotor with one Alu. bal. ring. Adjustable sensor plate timing +20/+ 50 deg. Stator and wind visible. Rotor Part # 30820007 stamped 7-125-A	08.01.16
Team Epic	ReVtech 24K Pt # REV1802		Sensored system. "Y" Wind. End-Plate has Revtech etched. Stator sleeve with ReVtech & Wind etched. Adjustable sensor plate timing 0-60 deg. Has stator access. Wind stamped on lower collector ring & visible. Rotor with name & Part #. Rotor Part # TEP1112	23.11.15
Reedy	Reedy Sonic M3 Part # 254		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 273. Optional Rotor # 272.	19.10.15 04.04.16
Reedy	Reedy Sonic M3 - SS 1S Part # 269		Sensored system. "Y" Wind. Black Alu. Cap & Sleeve, Alu. timing insert with 'R' logo. Adjustable sensor plate timing 0/+ 50 deg. Caps remove and stator can be removed, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # 272. Optional Rotor # 273	19.10.15 04.04.16

G Force	Super Extreme Pt # G0151		Black with 0 deg. adjustable sensor plate timing 0-40 deg. Caps & sleeve remove, wind etched on stator. Nickel sintered rotor with one Alu. balance ring. Rotor Part # GF400003-55 Optional rotor G0045	27.7.15
Motors below this level must comply with EFRA Rule - App.3, 2.2(9), which requires access to the stator to allow measurement and visual appraisal of the laminates.				
King Golden	Speed Passion V4.0 17.5R #SP001232		Sensored system. "Y" Wind. Black End-Plates & Sleeve with wind etched. Nickel sintered rotor with one Purple balance ring, 12.5 dia, 7.1 core. Adjustable timing 0 -40 deg. Has stator access.	9.3.15
EZpower	EZBR217R		Sensored system. "Y" Wind. Gun-metal End-Plates & Sleeve. Adjustable red timing ring. Nickel sintered rotor with Red hollow balance ring marked EZ, 12.5 dia, 7.2 core. Caps & sleeve remove, has stator access.	2.3.15
Hirosaka	Hirosaka Part # HSK- PRO175T		Sensored system. "Y" Wind. Black metal End-Bell with plastic timing insert. Adjustable timing 0-45. Black Can/Sleeve. Nickel sintered rotor with Purple balance ring, 12.3 dia, 7.1 core. Caps & sleeve remove, has stator access & wind marked..	9.2.15
Tianco	ORCA RX3 Part # OMR175X3		Sensored system. "Y" Wind. Black Can & E/Cap. Complete stator removes. Has stator access slots. ORCA RX3 & wind etched on End-Cap. End-Cap Alum., adjustable timing. Rotor with black balance ring 12.4 dia., 7.2 core. Part # OTR124ST	10.11.14 25.05.15
Trinity	D4 Part # TEP 1702		Sensored system. "Y" Wind. Purple Alu. timing plate with TRINITY & 4 etched. Caps and sleeve dark gun-metal, all parts remove. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing -10 + 60 deg. Has stator access. Optional rotor TEP 1112 approved	29.9.14
Absima	Revenge V2 Part # 2130021		Sensored system. "Y" Wind. Black Alu. Caps & Grey Sleeve, Logo only on End-Plate. Sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind marked on stator. Only V2 version approved	30.6.14
Team Powers	Actinium Pt. # TPBLM 175100 ACT		Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. Gun-Metal stator sleeve with 17.5T etched. Nickel sintered rotor with no balance ring, 12.45 dia, 7.24 core. Adjustable sensor plate timing. Optional End-Plate TP-ATEB-001 allowed. Optional Rotor # TP125G-R	27.05.14 20.10.14 18.01.16
Reds Racing	VX Part # MTTE 0007		Sensored system. "Y" Wind. Red metal End-Plate at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates & has wind etched. Rotor with Black drilled balance ring 12.5 dia, 7.2 core. Optional rotors:- # MSTE0009.	5.5.14
G Force	G Force Super Sonic Pt # G0009		Sensored system. "Y" Wind. Black Alu. Caps & Sleeve, Alu. timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing 0/+ 40 deg. Caps & sleeve remove, wind etched on stator. Option rotor GF400003-55	07.04.14 27.07.15
Hobbywing	Xerun V10 Pt. # 30401020048		Sensored system. "Y" Wind. Black Alu. Can & End-Cap, moulded timing insert with logo printed. Nickel sintered rotor with one Alu. balance ring, 12.5 dia, 7.2 core. Adjustable sensor plate timing -20/+ 50 deg. Stator and wind visible via. sleeve slots.	3.3.14

Novak	Vulcan Pt. # 3647		etched. Stator sleeve with 17.5T label. 3/16 Bearing at Pinion end. Yell. plastic denoting 17.5. Adjustable timing. Nickel sint. Rotor Pt.# 5955 12.5, 7.1 core. Optional rotor Pt.# 5941 12.3 dia.	21.10.13
Mtroniks	MX-1 Pt. # MTMX175		Sensored system. "Y" Wind. Anodised Alum. End-Plates & Stator Sleeve, with wind printed. Fixed timing. Nickel sintered rotor with one hollow balance ring, 12.5 dia, 7.2 core. Stator visible via. Sleeve slots.	5.8.13
Muchmore	FLETA ZX Pt # MR-FZX175		Sensored system. "Y" Wind. Black metal End-Bell with plastic timing plate, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with Green drilled balance ring. Rotor 7.2 core, 12.5 dia. Optional rotor MRFZR11 allowed. Aluminium timing-plate MR-FZAT fitted to later versions.	29.07.13 14.05.14 05.08.14
Nosram	Pure 2 Evolution Spec. Racing Pt.# 91854		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 90639 approved.	08.07.13 28.12.15
Team Epic	ReVtech Killshot Pt # REV1602R		Sensored system. "Y" Wind. Copper colour Aluminium End-Plates, Killshot painted. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing. Has stator access. Optional rotor TEP 1112 approved	08.07.13 07.04.14
Team Epic	ReVtech Killshot Pt # REV1602T		Sensored system. "Y" Wind. Copper colour Aluminium End-Plates, Killshot painted. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.3 dia, 7.2 core. Adjustable sensor plate timing. Has stator access. Optional rotor TEP 1112 approved.	08.07.13 07.04.17
Corally	Corally Pro Silver 17.5T 399175		Sensored system. "Y" Wind. Plain Alum. End-Plates. Adj. timing. Plain Alum. stator sleeve with wind etched. Nickel sintered rotor with one Black balance ring, 12.3 dia, 7.18 core. Stator visible via. Sleeve slots.	17.6.13
Tianco	ORCA TX Pt. # OTM 175TX		Sensored system. "Y" Wind. Dull Grey Aluminium casings. Main sleeve removes. Has stator access slots. ORCA TX & wind etched. End-Plate moulded, adjustable timing. 12.5mm Rotor no balance ring, shaft marked 125S-N. Option 123S-N. 12.3mm. Option EndPlate OME111TX allowed. New sensor Ass. CAS-0220TX-30 fitted.	10.06.13 10.03.14 20.07.14.
LRP	X20 17.5T Spec. # 50854		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Fixed End-Sleeve etched with wind. Sintered rotor, coloured Black, with 1 balance ring. Grey stator moulding. Rotor shaft Black stamped 12.5-25. Slot for stator access. Optional Green rotor # 50639 approved.	22.04.13 28.12.15
Reedy	Reedy Sonic Mach 2 # 232		Sensored system. "Y" Wind. Black metal End-Bell at Term. End, with adjustable timing 0-45. Black Can/Sleeve. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core # 956. Optional rotors:- # 954, # 955.	8.4.13
Team Wave	Eclipse # TW2011- 175		Sensored system. "Y" Wind. Black Alum. End-Plates. Adj. timing. Black Alum. stator sleeve with wind etched. Nickel sintered rotor with one plain balance ring, 12.5 dia, 7.17 core, marked 125-R. Stator visible via. Sleeve slots.	8.4.13
Tekin	Redline GEN2 17.5T		Sensored system. "Y" Wind. Black Alum. End-Plates, not joined. Adj. timing. Alum. Can with wind etched. Stator visible via. Sleeve holes. Nickel sintered	1.4.13

Savox	# SAV- BLH3650 991764		removes, stator spigoted into fixed casing. Saxox X1 & wind etched. End-Plate moulded, adjustable timing. Rotor has no balance ring.	25.3.13
Team Orion	VST2 Pro Stock 17.5. # ORI 28252		Sensored system. "Y" Wind. Grey one-piece Can. Black Aluminium End-Plate retained with five screws, adjustable moulded timing plate. Wind etched. Nickel sintered rotor, 12.5 dia, 7.1 core, no balance rings. Optional 12.4 dia, 7.2 core.	25.3.13
Motors below this level retain approval, although they were approved before implementation of EFRA Rule App.3, 2.2(9), (requiring access to the stator for measurement and visual appraisal of laminates). Some motors do allow stator access.				
Horizon Hobby	Dynamite Platinum 17.5T # DYP 1017		Sensored system. "Y" Wind. Black Alluminium End-Plate at Term. End, with adjustable timing. Wind etched on Term. Sleeve, Stator mould & Stator Lams. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core.	20.8.12
Hobbywing	Xerun Pt. # 90040141		Sensored system. "Y" Wind. Polished Auminium End-Plates, Hobbywing etched. Fixed timing. Blue stator sleeve with 17.5T & Pt.# etched. Sleeve & EndPlates also Gunmeteal colour. Side entry sensor plug. Nickel sintered rotor, 12.4 dia, 7.2 core. Rotor with one balancing ring.	13.8.12
Reedy	Reedy Sonic Pt. # 941		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Black Can/Sleeve. Wind etched. Stator separates. Nickel sintered rotor with drilled balance ring, 12.5 dia, 7.2 core. Later version has more timing graduations detailed & relocated pointer.	14.5.12
Team Epic	ReVtech R-Power Pt # REV1052		Sensored system. "Y" Wind. Copper colour Aluminium End-Plates, ReVtech painted. Blue stator sleeve with ReVtech & Wind painted. Nickel sintered rotor with one purple balance ring, 12.45 dia, 7.2 core. Adjustable sensor plate timing. Mounting Plate with 3 x 5.9mm slots.	12.3.12
Vampire	Vampire Type AB+ Bloodline Pt. # VR-3175		Sensored system. "Y" Wind. Black Plastic End-Plate at Term. End, with adjustable timing. Sensor plug horizontal. Blue End plates. Wind etched. Nickel sintered rotor with no balance rings, 12.5 dia, 7.21 core.	12.3.12
Graupner	GM Brushless PRO. Pt. # 97417. 2012 version.		Sensored system. "Y" Wind. Alum. Mounting-Plate with 3x5mm holes and 3 radiused slots. Plastic End-Cap with GM moulded. Adj. timing. Gun-Metal stator sleeve with Wind & Pt.# etched. Side entry sensor plug. Nickel rotor marked GM Stock, 12.51 dia, 7.24 core.	31.12.11
Thunder Power	Z3R-S Part # TPM-540A175		Sensored system. "Y" Wind. Black Plastic Moulding at Term. End, with adjustable timing. Red Can/Sleeve with silver end cover. Wind etched on stator. Stator separates. Nickel sintered rotor with drilled red balance ring, 12.25 dia, 7.2 core. Optional Rotors:- Blue or Green balance ring.	17.10.11. 16.04.12.
Speed Passion	Competition 3.0 MMM Version Pt.# SP000039		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium Sleeve & End-Plates, SP etched. Sleeve with Wind etched. End-Plates with grooves. Red sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.2 core. Adjustable timing 11-20 deg.	4.7.11
Trinity	Trinity D3 Pt. # TEP1053		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, Trinity etched. Black stator sleeve with D3 & 17.5T etched. Nickel sintered rotor with one balance ring, 12.25 dia, 7.21 core. Adjustable sensor plate timing.	16.5.11

Viper	Pt. # 8VST 175001		grooved stator sleeve. Black sintered rotor with no balance rings, 12.5 dia, 7.35 core. Adjustable timing.	16.5.11
Novak	Ballistic Pt. # 3617		Sensored system. "Y" Wind. Black Al. End-Plate with NOVAK etched. Stator sleeve with 17.5T label. Ring etched. Nickel plated sintered rotor, 12.3 dia, 7.12 core. Yellow plastic denoting 17.5. Adjustable timing. Vented End-Bells # 5925 approved.	11.04.11 18.06.12
Tekin	Tekin Redline 17.5T Spec. Pt. # TT2251 (Etched Can)		Sensored system. "Y" Wind. Red Aluminium mounting plate. Black moulded End-Bell with Tekin. Grooved Al. bonded stator sleeve with 17.5T etched. Nickel plated sintered rotor, 12.4 dia, 7.11 core. No balance rings.	11.4.11
HPI	Flux Pro. Pt. # 101733		Sensored system. "Y" Wind. Black Aluminium End-Plates, HPI etched. Black stator sleeve with Wind etched. Nickel sintered rotor, 12.5 dia, 7.2 core. Adjustable timing. Optional rotor - 12.2 dia, 7.2 core, Nickel plt. Optional rotor 107252 - Mag. & shaft Black.	28.03.11 07.05.12
Team Powers	Plutonium Pt.# TP-BLM- 175100PL		Sensored system. "Y" Wind. Black Aluminium End-Plates, Team Powers etched. Gun-Metal stator sleeve with 17.5T etched. Nickel sintered rotor with no balance ring, 12.26 dia, 7.24 core. Adjustable sensor plate timing. Optional End-Plate TP-ATEB-001 allowed.	12.02.11 20.10.14
Graupner	GM Brushless PRO. Pt.# 97357 2011 version.		Sensored system. "Y" Wind. Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Gun-Metal stator sleeve with S17.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.4 dia, 7.21 core. Rotor with one balancing ring.	31.1.11
Tianco	ORCA RX2 Pt. # OBM175X2		Sensored system. "Y" Wind. Gun-Metal End-Plates, RX2 & 17.5T etched. Gun-Metal sleeve with RX2 & 17.5T etched. Black rotor, one balance ring, 12.2 dia, 7.20 core. Optional rotor OMA123PX 12.2mm nickel. Adjustable sensor plate timing. Mounting Plate 3 x 6mm holes & chamfer.	31.01.11 31.12.11
Graupner	Brushless PRO. Pt. # 97297		Sensored system. "Y" Wind. Dark Gun-Metal Aluminium End-Plates, GM-Racing etched. 5 timing threads. Dark Gun-Metal stator sleeve with S17.5T & Pt.# etched. Side entry sensor plug. Black sintered rotor, 12.3 dia, 7.2 core. Rotor with one balancing ring.	21.12.09
LRP	X12 Vector Stock Spec. Pt.# 50852		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Sleeve etched "17.5 Turns". Black Sintered rotor, 12.5 dia, 7.1 core. Rotor shaft, Black. Manufacturers 'grooved' Al. End-Bell with name engraved allowed at terminal end. Optional green rotor 50639 12.2, 7.1 core Later versions have rotor shaft stamped.	23.11.09 31.01.11 28.05.12
LRP	Vector X11 Stock Spec. Pt. # 50850		Sensored system. "Y" Wind. Black moulded End-Bell with XTEC. Gold anodised ring. Chamfered mounting face. Sleeve etched "17.5 Turns". Sintered rotor, 12.3 dia, 7.35 core. Rotor shaft, Black. Manufacturers 'slotted' End Plates (std. & thin versions) allowed at pinion end. Manufacturers later 'grooved' Al. End Plate with name engraved allowed at terminal end.	5.10.09
Speed Passion	3.0 - 17.5R Pt.# SP138175V3		Sensored system. "Y" Wind. Light Gun-Metal Aluminium End-Plates, SP & 17.5T etched. Light Gun-Metal stator sleeve with SP17.5T etched. Black sensor board. Black sintered rotor with one balance ring, 12.3 dia, 7.22 core. Adjustable timing 0-10.	5.10.09